

WEST Search History

DATE: Sunday, February 04, 2007

Hide?	<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>
	<i>DB=EPAB,DWPI; PLUR=YES; OP=ADJ</i>		
<input type="checkbox"/>	L21	L19 and (l16 or l17)	1
<input type="checkbox"/>	L20	L19 and l16 and l17	1
<input type="checkbox"/>	L19	L18 near12 (dorman\$ or sleep\$ or asleep\$ or activat\$ or inactiv\$)	369
<input type="checkbox"/>	L18	(fail\$ or fault\$ or alternat\$ or secondary or backup or (back up) or spare or extra or additional or duplicate\$) near2 (link\$ or route or path or connect\$)	62497
<input type="checkbox"/>	L17	abr or (border near router\$)	571
<input type="checkbox"/>	L16	ospf or (open adj short\$ adj path\$ adj first\$)	121
	<i>DB=PGPB,USPT; PLUR=YES; OP=ADJ</i>		
<input type="checkbox"/>	L15	L14 and l13	6
<input type="checkbox"/>	L14	l12 and l1	55
<input type="checkbox"/>	L13	abr or (border near router\$)	2874
<input type="checkbox"/>	L12	l3 near12 (dorman\$ or sleep\$ or asleep\$ or activat\$)	2603
<input type="checkbox"/>	L11	6721269[uref]	9
<input type="checkbox"/>	L10	6721269[pn]	1
<input type="checkbox"/>	L9	l8 and l1 and l2	7
<input type="checkbox"/>	L8	709/239.ccls.	763
<input type="checkbox"/>	L7	L6 same l3	15
<input type="checkbox"/>	L6	l1 same l2	158
<input type="checkbox"/>	L5	L4 and (l1 or l2)	1
<input type="checkbox"/>	L4	L3 near16 (dorman\$ or sleep\$ or asleep\$)	105
<input type="checkbox"/>	L3	(fail\$ or fault\$ or alternat\$ or secondary or backup or (back up) or spare or extra or additional or duplicate\$) near2 (link\$ or route or path or connect\$)	294896
<input type="checkbox"/>	L2	abr or (border\$ adj router\$)	2829
<input type="checkbox"/>	L1	ospf or (open adj short\$ adj path\$ adj first\$)	2699

END OF SEARCH HISTORY



abr and ospf and failure and dormant

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Scholar

Results 1 - 5 of 5 for abr and ospf and failure and dormant. (0.07 seconds)

All Results

[K Carlberg](#)**OSPF BACKUP INTERFACE**

VA SIMPSON, DD JAMIESON, NT SULTAN - EP Patent 1,344,351, 2003 -
[freepatentsonline.com](#)

... in Open Shortest Path First (**OSPF**) networks, without ... in a **dormant** state until a network
failure affecting communications with a primary adjacent **ABR** is detected ...

[Cached](#) - [Web Search](#)

Lightweight signaling in ATM networks for high quality transfer of Internet traffic - group of 6 »

F Guillemin, O Dugeon, J Boyer, C Mangin - Computer Networks, 2000 - Elsevier
 ... introduced by both the ATM layer and the **ABR** mechanism. ... of the Internet, such as
OSPF, BGP, etc ... a connection opening procedure in the case of **failure** within the ...
 Cited by 1 - [Related Articles](#) - [Web Search](#)

ROUTING WITH LOAD BALANCING

ZA ZHOU - [collectionscanada.ca](#)

... Whenever link **failure** is detected. path maintenance is initiated to patch up by
 detouring ... vii Page 9. 2.3.3. Associative Based Routing (**ABR**) ...

[Web Search](#)

QUALITY OF SERVICE AWARE SOURCE INITIATED AD-HOC ROUTING - group of 3 »

KH VIK - 2004 - [folk.uio.no](#)

... Protocol packets when Mobile Nodes are **dormant** in terms ... **ABR** and SSA use signal
 strength

as the basis for ... The MPR selection is susceptible to **failure** when the ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

QoS Multicast Using Single Metric Unicast Routing - group of 3 »

KGEF Carlberg - 1999 - [cl.cam.ac.uk](#)

... 59 3.4.4 Connectivity **Failure**

Cited by 5 - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

abr and ospf and failure and dormant

Search

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google



abr and ospf and failure and inactive

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

The "**AND**" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Scholar [All articles](#) [Recent articles](#) Results 1 - 10 of about 47 for **abr and ospf and failure and inactive**. (0

All Results

[A Shaikh](#)
[R Dube](#)
[A Varma](#)
[A Saleh](#)
[Z Haas](#)

OSPF BACKUP INTERFACE

VA SIMPSON, DD JAMIESON, NT SULTAN - EP Patent 1,344,351, 2003 -

[freepatentsonline.com](#)

... in Open Shortest Path First (**OSPF**) networks, without ... in a dormant state until a network **failure** affecting communications with a primary adjacent **ABR** is detected ...

[Cached](#) - [Web Search](#)

Avoiding Instability during Graceful Shutdown of **OSPF** - group of 13 »

A Shaikh, R Dube, A Varma - [ieeexplore.ieee.org](#)

... an enhancement to **OSPF**, called the IBB (I'll Be Back) capability, that enables other routers to use a router whose **OSPF** process is **inactive** for forwarding ...

[Cited by 13](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

Routing: The Basics

F Bauer - [fredbauer.com](#)

... 23 Private Address Space (Con't) • Cons – NATs break end-to-end Internet Model – NATs create single point-of-**failure** – NATs complicate multi-homing ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

SHARE: S3915 IP Network Design Considerations: **OSPF** Configuration & Design in z/OS CS

M Fox, GJ Dente - [ew.share.org](#)

... in the **ABR** that is originating the default route into the stub area. You will see examples of this when we configure Stub Areas. 1.D TCPIP,NM2bTCP,OMPR,**OSPF**, ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

Method and apparatus for topology database re-synchronization in communications networks having ... - group of 3 »

SP McAllister, C Rajsic - US Patent 6,876,625, 2005 - Google Patents

... Addendum to PNNI V 1.0 for **ABR** parameter negotiation ... than for one which influences an **OSPF** Designated Router ... the **inactive** routing entity upon 2 o **failure** of the ...

[Cited by 1](#) - [Related Articles](#) - [Web Search](#)

ATM Switching - group of 3 »

TM Chen, SS Liu - [enr.smu.edu](#)

... is a dynamic link-state routing protocol similar to the **OSPF** (open shortest ... along the **ABR** connection. ... If a **failure** has not been detected and no user cells have ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

Part-time Visiting Lecturer IP Support Manager HK PolyU REACH Networks Ltd Email: ensung@polyu.edu ...

SP SUNG - [eie507.eie.polyu.edu.hk](#)

... Eliminates the possibility of single point of **failure** on the network ... Router (ASBR) Area Border Router (**ABR**) Internal Router G P ... 37 Simple **OSPF** Network a b ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)



[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

The "**AND**" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Scholar [All articles](#) [Recent articles](#) Results 1 - 10 of about 22 for **abr and ospf and failure and inactivity**. (

All Results

[A Saleh](#)
[C LLP](#)
[H Nguyen](#)
[H Zadikian](#)
[Z Baghdasarian](#)

[Industry Program Chair, OPTICOMM 2000 Industry Program Chair, OPTICOMM 2000 - group of 4 »](#)

NGN Ghani - robotics.eecs.berkeley.edu

... Demux Mux Wideband receivers Gigabit IP Router IP routing protocols (**OSPF**, **BGP**) ... Can also use **OSPF** hierarchy for inter-domain exchange: ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

[Method and apparatus for topology database re-synchronization in communications networks having ... - group of 3 »](#)

SP McAllister, C Rajsic - US Patent 6,876,625, 2005 - Google Patents

... iii) "Addendum to PNNI V 1.0 for **ABR** parameter negotiation ... re-execute adynamic election

process under the **OSPF** protocol fol -lowing a **failure** which impacts ...

[Cited by 1](#) - [Related Articles](#) - [Web Search](#)

[This RFC is available in postscript form at: ftp://ftp. graphcomp. com/pub/doc/rfc/RFC1583. ps ...](#)

O Version - graphcomp.com

... RFC 1583 **OSPF** Version 2 March 1994 Router RT1 can also determine in this manner the ... Note that a **failure** of the line between Routers RT6 and RT10 will cause the ...

[Related Articles](#) - [Cached](#) - [Web Search](#)

[RFC 1583 \(RFC1583\) - group of 2 »](#)

O Version - faqs.org

... Note that a **failure** of the line between Routers RT6 and RT10 will cause the ... 3.5. IP subnetting support **OSPF** attaches an IP address mask to each advertised route ...

[Related Articles](#) - [Cached](#) - [Web Search](#)

[Adding Multi-Class Routing into the Differentiated Services Architecture - group of 4 »](#)

IPDP Zhang - 2004 - keskus.hut.fi

... the **ABR** is in charge of summarizing the routes and creating the Summary-LSAs used to calculate the inter-area routes. 2.2.2 **OSPF** Sub-protocols ...

[Cited by 1](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[Method for routing information over a network - group of 3 »](#)

AN Saleh, HM Zadikian, Z Baghdasarian, V Parsi - US Patent 6,856,627, 2005 - Google Patents

... Forum Technical Committee, Addendum to PNNI VI.0 for **ABR** parameter negotiation ... F.

Baker, et al., "**OSPF** Version 2 Management Information Base ... **Failure** detected 9 ...

[Cited by 12](#) - [Related Articles](#) - [Web Search](#)

[Network addressing scheme for reducing protocol overhead in an optical network - group of 3 »](#)